

New Session Dialog

The *New Session Dialog* is used to start a new *LemonTree* session in different modes.

New Session

Two-Way **Three-Way** [Use Example Models](#)

The version A and the changes of version B will be compared to the Base version and the found changes will be shown in the diff view

Base

Connection Type: EAP File Base version is not shown in the diff view

Model Path: C:\ProgramData\LieberLieber\LemonTree\Examples\Base.eap Browse...

A

Connection Type: EAP File Alias: A

Model Path: C:\ProgramData\LieberLieber\LemonTree\Examples\A.eap Browse...

B

Connection Type: EAP File Alias: B

Model Path: C:\ProgramData\LieberLieber\LemonTree\Examples\B.eap Browse...

Open Session... Merge Compare

Two-Way

With the **Two-Way** mode enabled, it is possible to start these following sessions:

- **Compare**
Two-way diff (2 models, *LemonTree* will be started with two diff columns)
- **Merge**
Two-way merge (2 models, *LemonTree* will be started with two diff columns + merge preview column)

Three-Way

With the **Three-Way** mode enabled, it is possible to start these following sessions:

- **Compare**
Three-way diff (3 models, *LemonTree* will be started with two diff columns)
- **Merge**
Three-way merge (3 models, *LemonTree* will be started with two diff columns + merge preview column)

Open Session

Opening a Session and general *LemonTree* Session handling is described here: [LemonTree Session Handling](#).